

PATIENT PREPARATION INSTRUCTIONS FOR CT SCAN EXAMINATIONS WITH CONTRAST MEDIUM

- 1. Do not take any liquid or solid food before at least 6 hours to the examination
- 2. On the day of the examination the patient has to bring the recent results executed 90 days before the examination or earlier of:

creatinine blood level

Take the usual therapy according to your family doctor except:

- **Metformin**, to be suspended 2 days before and for the next 2 days after the examination

Notes

In case of allergy to contrast medium or to any other drug please refer to your family doctor, fill up and show the allergic predisposition form here attached.

On the day of the exam the patient will have to bring all the recent results relating to the examination in progress





ALLERGY TO CONTRAST MEDIUM PREDISPOSITION FORM (iodinated and paramagnetic contrast agents)

24 HOURS BEFORE THE DAY OF THE EXAM, TAKE:

- DELTACORTENE 1 tablet of 25 mg
- CETIRIZINE 1 tablet of 10 mg
- ZANTAC 1 tablet of 150 mg

13 HOURS BEFORE THE DAY OF THE EXAM, TAKE:

- DELTACORTENE 1 tablet of 25 mg
- CETIRIZINE 1 tablet of 10 mg
- ZANTAC 1 tablet of 150 mg

7 HOURS BEFORE THE DAY OF THE EXAM, TAKE:

- DELTACORTENE 1 tablet of 25 mg
- CETIRIZINE 1 tablet of 10 mg
- ZANTAC 1 tablet of 150 mg

1 HOURS BEFORE THE DAY OF THE EXAM, TAKE:

• CETIRIZINE - 1 tablet of 10 mg





BRIEFING NOTE - COMPUTED TOMOGRAPHY (CT)

What is Computed Tomography (CT)?

CT is a radiologic diagnostic technique which allows to investigate the whole body and produces slice images; this is like to cut the body and take pictures of the slices. Then it's also possible to produce secondary images along different directions and using special programs (e.g. to study vessels).

How long is the exam?

The modern multislice scans (which are able to produce many different slices at one time) can perform exams in a short time; the mean time of execution is about 20 minutes.

How the exam is performed?

The patient lays on a mobile table which moves inside a ring-shaped device. The body is exposed to X-rays and the equipment produces electronic images; these images are then processed and viewed on a monitor. The exam is supplied on a CD.

Why the CT is requested?

CT can investigate the whole body (brain, thorax, abdomen, bones, vessels,...). Pregnancy is the only real contraindication for the exam without the use of contrast medium. The exam is not painful and it is requested by the Doctor for special diagnostic problems.

When is contrast medium used?

Some kind of examinations need the injection of a particular contrast medium containing iodine which enhances different features inside many organs. In this case the patient should be fasting before the exam.

Specific allergic reactions (which must be notified in advance at the Radiologic Service) of the presence of severe renal or liver impairment are possible contraindications. This is the reason why a blood test is needed to test creatinine and the result must be produced for medical evaluation at the moment of the exam.

It is then necessary to fill, mainly with your Doctor, the Informed Consent Form received at the booking desk and remember to bring the form with you the day of the exam.

As any other drug the CT contrast medium can rarely cause allergic reactions, in very few occasions these can be severe (deadly in about 1 case over 200.000); in any case every reaction can be successfully treated.





INFORMED CONSENT FORM FOR DIAGNOSTIC PROCEDURES with INTRAVENOUS CONTRAST IODINATED MEDIUM (CIM)

Mr/Mrs	ID Code		D	iagnos	is		Ex	am		
The present exam is necessary for diagnostic purposes . In compliance with the indications of the National										
Health Department's Note of 17.0	9.97 about t	the use	of iodir	nated	contrast	me	dium	(CIM), 1	the	following
anamnestic and clinical information is requested.										
✓ Allergic history or proven aller	gic risk for iod	inated co	ntrasts				Yes			No
✓ Pregnancy							Yes			No
✓ Heavy cardio-vascular failure							Yes			No
✓ Multiple myeloma or paraproteins							Yes			No
✓ Risk factors for renal failure (diabetes, gout, hepatic cirrhosis, use of nephrotoxic drugs, previous renal										
surgery)							Yes			No
✓ Recent CIM exams (within 5 days	s)						Yes			No
✓ Heavy renal failure							Yes			No
Diabetes (if in therapy with biguanides (metformin), suspend the treatment 2 days before the exam, and 2 days										
after the exam)										
Serum Creatinine level (mg/dL)	rum Creatinine level (mg/dL)(within the last 3						nths)			
Patient Signature		_ Parents	s Signat	ure					_	
Signature of the requiring MD										
I hereby declare to have understood what explained in the card of explications										
and, during the talk with my Doctor, I understood the essential information about the features of the exam, in										
terms of preparation, procedure, test's finality and advantages, related risks and complications (the exam, as for										
every other medical application, even if correctly performed, can determine complications and in very few										
occasions can be deadly in about 1 case over 200.000).										
Conscious of all what previously reported and aware that the present consent may be countermanded in any										
moment										
□ I ag	ree (consent)				I don't a	agre	e (cor	nsent)		
to undergo the diagnostic procedure										
Patient s	ignature									
Known and verified directly from the patient about what previously reported and signed										
Signature of the Radiologist MD										

